



PRODUCT COMPLIANCE SCHEDULE

ROSTIN PTY LTD

ABN 71 050 056 810

COMPANY ADDRESS:

46 Berrima Road, Moss Vale, NSW 2577, Australia.

Trading as;

HIGHLAND GLASS

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.


AS/NZS 2208:1996 Safety glazing materials in buildings
(Including Amendment 1)

Product Description	Low E, Float and Patterned PVB Laminated Safety Glazing Materials. Includes Toughened PVB Laminated Glazing Materials.
Classification	Grade "A"
Nominal Glass Thickness	6.76mm to 16.76mm Float & Pattern Glass
Non-standard Glass Thickness	14.28mm Laminated Safety Glass
Maximum Glass Size	Glass Dimensions: 2140mm (W) x 4200mm (L)
Glass Colours	Acid Etch, Blue, Bronze, Clear, Green, Grey and White
Glass Patterns	Acid Etch, Artic Blue, Blue Eclipse, Bronze, Clear, Evergreen, Green, Green Eclipse, Grey, Grey Eclipse, Supergrey, Optiwhite.
PVB Standard Thickness	0.76mm – Clear & Tinted PVB Interlayer (Saflex)
PVB Non-Standard Thickness	1.52mm to 2.28mm – Clear Interlayer (Dupont SentryGlas Plus) SGP.
Ionoplast Interlayer	

This schedule supersedes any previously issued schedule.

Assessment ID No: CSI-ID 7262
Issue date: 04 August 2016
Schedule No: 7262-2016-08-S3-Rev1

Certification date: 30 April 2015
Expiry date: 05 August 2017


Azma Khan
Managing Director
Certification Solutions
International Pty Ltd



The current validity of this document should be checked by contacting admin@csi-certification.com PASF_015 I1R2